



CERTIFICAZIONE ITALIANA  
DEI SISTEMI  
QUALITÀ AZIENDE



UNI EN ISO 9001 2000  
SISTEMA DI GESTIONE  
QUALITÀ CERTIFICATO

# EC DECLARATION OF CONFORMITY



The Company

**S.T.I.F. S.p.A.**

Via dell'Aeronautica, 2/1 – 36056 Tezze sul Brenta – Loc. Belvedere (VI) – ITALY

Tel. +39 0423 485841 Fax +39 0423 456176 E- mail: info@stif.com

## DECLARES

that the Extruded Polystyrene foam (XPS) boards for thermal insulation of buildings named **STYSOL** produced in the manufacturing plant located in Via Brentelle, 11 - 31037 Ramon di Loria (TV) ITALY meet the requirements defined in the European Standard:

**UNI EN 13164: 2001** Annex ZA

*"Thermal insulation products for buildings. Factory made products of extruded polystyrene foam (XPS) - Specification"*

and for that satisfy the essential requirements of the Construction Products Directive 89/106/CEE

▪ **Declared Technical Properties:**

Nominal thickness (mm)	Declared Thermal Conductivity $\lambda_D$ (W/mK)	Declared Thermal Resistance $R_D$ (m <sup>2</sup> K/W)	Reaction to fire (Euroclass)	Designation code
20	0.034	0.55	E	XPS-EN 13164-T1-CS(10/Y)200-DS(TH)-WL(T)0.7-MU100
30	0.034	0.85	E	XPS-EN 13164-T1-CS(10/Y)250-DS(TH)-WL(T)0.7-MU100
40	0.034	1.15	E	XPS-EN 13164-T1-CS(10/Y)300-DS(TH)-WL(T)0.7-MU100
50	0.034	1.45	E	XPS-EN 13164-T1-CS(10/Y)300-DS(TH)-WL(T)0.7-MU100
60	0.034	1.75	E	XPS-EN 13164-T1-CS(10/Y)300-DS(TH)-WL(T)0.7-MU100
80	0.036	2.20	E	XPS-EN 13164-T1-CS(10/Y)400-DS(TH)-WL(T)0.7-MU100
100	0.036	2.75	E	XPS-EN 13164-T1-CS(10/Y)400-DS(TH)-WL(T)0.7-MU100

▪ **Notified laboratory:** ISTITUTO GIORDANO S.p.A. Via Rossini, 2 47814 Bellaria (RN) - ITALY

Ramon di Loria, 26/09/2007

**S.T.I.F. S.p.A.**

Dr.ssa Francesca Beltrame